



NANTONG HIGH HOME CO.,LTD.
NANTONG * CHINA


★
feltonfei@highomeled.com

Mobile/Wechat/Whatsapp: +86 13951761835

www.highomeled.com

The Future is Here

Contents

								
SL1903/ P1	SL1905/ P2	SL1901/ P3	SL1902/ P4	SL1907/ P5	SL1908/ P6	SL1808/ P7	SL1807/ P8	SL1805/ P9
								
SL1806/ P10	SL1801/ P11	SL1802/ P12	SL1803/ P13	SL1804/ P14	SL1910/ P16	LDM0210/ P17	LDM0321-1/ P18	LDC0120/ P19
								
LCP0125/ P20	LCP0225/ P21	LCP0325/ P22	LTG0109/ P23	LBD2650/ P25	LBD1112/ P26	LBD1712/ P27	LBD1612/ P28	L9530/ P29
								
LBD2750/ P30	LBD0661/ P31	LBD0930/ P32	LBD0560/ P33	LBD2360B/ P34	LBD0160/ P35	LBD0460/ P36	LBD1110/ P37	LBD3110/ P38
								
LBD1320/ P39	LBD2020/ P40	LXD0130/ P41	LXD1320/ P42					

Smart Solar Light

Save Energy, Save Money




Charge in the Day



- Monocrystalline Solar Panel 1,8W solar conversion rate up to 19,2%
- Quality big capacity battery 3,7V 2200mAh Li-Ion 80% capacity remaining after 2Year
- Anti UV PC shade SGS UV 500Hours test No yellow after years
- Special power coating on Aluminum Anti-corrosion 6,25 times stronger



Waterproof IP65



Smart & Safe

- ★ Day/Night sensor: auto identify the day and night, auto turn on at sunset and off at sunrise.
- ★ PIR motion sensor: become brighter when people access by.
- ★ Highest efficiency monocrystalline solar panel, absorb energy even cloudy.
- ★ High waterproof rate IP65, working in rainy or snowy days.
- ★ Heatproof PC + Anti-UV material to withstand extreme weather condition.

Save & Convenient

- ★ Zero electricity cost, environment friendly
- ★ Cordless. easy to install
- ★ 100lm/w ,2 year warranty

①	Press a switch (Last 2S)	During in the day charge in the sun	At night No motion/Dimlight	Motion detected Brighten up	People left Dim light (after 30S)
②	Press a switch	During in the day charge in the sun	At night Brighten up	At night Brighten up	At night Brighten up
③	Press a switch (again)	Turn off the lamp!			




SL1903



SL1904

SL1903/SL1904

Solar Panel: Monocrystalline with glass 5.5V 3W
 Efficiency:19.2%
 lithium Battery: 18650 Lithium-ion Battery 3.7V 2200mAh,
 Quantity: 1PCS
 LED light: SMD 2835 50LED
 Solar Charging Time: 4-6 Hours In Direct Sunlight
 luminous Flux: Full 360LM Dim 18LM
 Materials: PC+Aluminum




SL1906



SL1905

SL1905/SL1906


Solar Panel: Monocrystalline with glass 5.5V 3W
 Efficiency:19.2%
 lithium Battery: 18650 Lithium-ion Battery 3.7V 2200mAh,
 Quantity: 1PCS
 LED light: SMD 2835 4LED
 Solar Charging Time: 4-6 Hours In Direct Sunlight
 luminous Flux: Full 120LM Dim 6LM
 Materials: PC+Aluminum







SL1901

Solar Panel: Monocrystalline with glass 5.5v 1.2W
 Efficiency: 19.2%
 Lithium Battery: 18650 Lithium-ion Battery 3.7v 2200mah
 Quantity: 1pcs
 Led Light: SMD 2835 18LED
 Solar Charging Time: 8-10 Hours In Direct Sunlight
 Luminous Flux: Full 700LM Dim 35LM
 Materials: PC



SL1902


Solar Panel: Monocrystalline with glass 5.5V 3W
 Efficiency: 19.2%
 lithium Battery: 18650 Lithium-ion Battery 3.7V 4400mAh
 Quantity: 2PCS
 LED light: SMD 2835 36LED
 Solar Charging Time: 8-10 Hours In Direct Sunlight
 Luminous Flux: Full 1400LM Dim 70LM
 Materials: PC






SL1907

Solar Panel: Monocrystalline with glass 5.5V 1W
Efficiency:19.2%
lithium Battery: 18650 Lithium-Ion Battery 3.7V 1800mAh.
Quantity: 1PCS
LED light: SMD 2835 15LED
Solar Charging Time: 8-10 Hours In Direct Sunlight
luminous Flux: Full 150LM Dim 8LM
Materials: PC



SL1908

Solar Panel: Monocrystalline with glass 5.5V 2.5W
Efficiency:19.2%
lithium Battery: 18650 Lithium-Ion Battery 3.7V 2200mAh.
Quantity: 1PCS
LED light: SMD 2835 4LED
Solar Charging Time: 4-6 Hours In Direct Sunlight
luminous Flux: 50LM
Materials: PC



Grocus



SL1808

Solar Panel: Polycrystalline with PET 5.5V 2.5W
Efficiency:17%



lithium Battery: 18650 Li-ion Battery 3.7V 2200mAh,
Quantity: 1PCS

LED light: SMD 2835 36LED

Solar Charging Time: 8-10 Hours Under Direct Sunlight

luminous Flux: Full 210LM Dim 31LM

Materials: PC



Camellia



SL1807

Solar Panel: Polycrystalline with PET 5.5V 2.5W
Efficiency:17%

lithium Battery: 18650 Li-ion Battery 3.7V 2200mAh,
Quantity: 1PCS

LED light: SMD 2835 36LED

Solar Charging Time: 8-10 Hours Under Direct Sunlight

luminous Flux: Full 210LM Dim 31LM

Materials: PC



Maple




SL1805/SL1805P

Solar Panel: Polycrystalline with PET 5.5V 2.5W
Efficiency:17%

lithium Battery: 18650 Li-ion Battery 3.7V 2200mAh,
Quantity: 1PCS

LED light: SMD 2835 36LED
Solar Charging Time: 8-10 Hours Under Direct Sunlight
luminous Flux: Full 210LM Dim 31LM
Materials: PC



Oak



SL1806

Solar Panel: Polycrystalline with PET 5.5V 0.8W
Efficiency:17%

lithium Battery: 18650 Li-ion Battery 3.7V 1200mAh,
Quantity: 1PCS

LED light: SMD 2835 96LED
Solar Charging Time: 8-10 Hours Under Direct Sunlight
luminous Flux: Full 18LM Dim 3LM
Materials: PC






2.89 USD
 MOQ2000PCS
 one year guarantee

SL1801

Solar Panel: Polycrystalline with PET 5.5V 0.6W
 Efficiency:17%
 lithium Battery: 18650 Lithium-ion Battery 3.7V 1200mah
 Quantity: 1pcs
 Led Light: SMD 2835 24led
 Solar Charging Time: 8-10 Hours Under Direct Sunlight
 luminous Flux: Full 130LM Dim 20LM
 Materials: PC



SL1802

Solar Panel: Polycrystalline with PET 5.5V 0.8W
 Efficiency:17%
 lithium Battery: 18650 Li-ion Battery 3.7V 1200mAh,
 Quantity: 1PCS
 LED light: SMD 2835 24LED
 Solar Charging Time: 8-10 Hours Under Direct Sunlight
 luminous Flux: Full 150LM Dim 22LM
 Materials: PC



Cone



SL1803

Solar Panel: Polycrystalline with PET 5.5V 1W
Efficiency:17%

lithium Battery: 18650 Li-ion Battery 3.7V 1800mAh,
Quantity: 1PCS

LED light: SMD 2835 37LED

Solar Charging Time: 8-10 Hours Under Direct Sunlight

luminous Flux: Full 180LM Dim 27LM

Materials: PC



Willow



SL1804

Solar Panel: Polycrystalline with PET 5.5V 1.5W
Efficiency:17%


lithium Battery: 18650 Li-ion Battery 3.7V 2200mAh,
Quantity: 1PCS

LED light: SMD 2835 46LED

Solar Charging Time: 8-10 Hours Under Direct Sunlight

luminous Flux: Full 200LM Dim 30LM

Materials: PC





SL1910

Solar Panel: Monocrystalline with glass 5.5V 1.5W
 Efficiency: 19.2%
 Lithium Battery: 18650 Lithium-ion Battery 3.7V 1800mah
 Quantity: 1pcs
 Led Light: SMD 2835 24LED
 Solar Charging Time: 6-8 Hours in Direct Sunlight
 Luminous Flux: Full 200LM Medium 60LM Dim 20LM
 Materials: PC




Outlu X LED FLOOD LIGHT


20MM 3year Direct



Model	Power	Material	Model	Power	Material	Model	Power	Material	Model	Power	Material
LDM0210-0.5	0.5W	Stainless steel	LDM0220-1	1W	Stainless steel	LDM0420-1	1W	Stainless steel	LDM0420-1	1W	Stainless steel



Model	Power	Material	Model	Power	Material	Model	Power	Material	Model	Power	Material
LDM0321-1	1W	AL+PC	LDM0322-1	1W	AL+PC	LDM0323-1	1W	AL+PC	LDM0324-1	1W	AL+PC



Outlu X LED FLOOD LIGHT


20MM 3year Direct

Magic LED SPIKE LIGHT



Mode	Power	Material	Size(D*H)
LDC0120-5	5W	PC	Φ60*346
LDC0120-7	7W	PC	Φ60*346
LDC0120-GU10	GU10/MR16	PC	Φ60*346


Mode	Power	Material	Size(D*H)
LDC0120B-5	5W	PC	Φ60*81*198
LDC0120B-7	7W	PC	Φ60*81*198
LDC0120B-GU10	GU10/MR16	PC	Φ60*81*198




Mode	Power	Material
LCP0125-10	10W	Aluminum



Mode	Power	Material
LCP0160-10	10W	Aluminum



Mode	Power	Material
LCP0180-10	10W	Aluminum




Impala LED BOLLARD



Mode	Power	Material
LCP0225-10	10W	Aluminum

Mode	Power	Material
LCP0260-10	10W	Aluminum

Mode	Power	Material
LCP0280-10	10W	Aluminum




Mercury LED BOLLARD



Mode	Power	Material
LCP0325-12	12W	Aluminum

Mode	Power	Material
LCP0360-12	12W	Aluminum

Mode	Power	Material
LCP0380-12	12W	Aluminum



Outlu X LED FLOOD LIGHT

20MM 3year Direct







Model	Power	Material
LTG0109-10	10W	Aluminum

Model	Power	Material
LTG0112-20	20W	Aluminum

Model	Power	Material
LTG0116-30	30W	Aluminum

Model	Power	Material
LTG0122-50	50W	Aluminum



Outlu X LED FLOOD LIGHT




20MM 3year Direct



Model	Power	Material
LTG0122-100	100W	Aluminum

Model	Power	Material
LTG0122-150	150W	Aluminum

Model	Power	Material
LTG0122-200	200W	Aluminum




Anton
LED STEP LIGHT



2 year warranty

Model	Power	Material
LBD2650-2	2W	PC





Anton
LED STEP LIGHT



2 year warranty


Model	Power	Material
LBD1112-2X	2W	PC




Nena LED STEP LIGHT





Model	Power	Material
LBD1712-5X	5W	PC




Model	Power	Material
LBD1912-5X	5W	PC




Model	Power	Material
LBD1532-5X	5W	PC




Model	Power	Material
LBD1612-2X	2W	PC



Model	Power	Material
LBD1812-2X	2W	PC



Model	Power	Material
LBD1432-3X	3W	PC



Broni LED STEP LIGHT



Model	Power	Material
L9530-3	3W	Aluminum



Model	Power	Material
L9430-3	3W	Aluminum



Model	Power	Material
LBD1035-1	1W	Aluminum



Model	Power	Material
L9830-3	3W	PC



Model	Power	Material
L9920-3	3W	PC



Model	Power	Material
L9230R-3	3W	Aluminum



Model	Power	Material
L9230S-3	3W	Aluminum



Model	Power	Material
L18130R-3	3W	Aluminum




Model	Power	Material
L18130S-3	3W	Aluminum



Kyoto LED WALL LIGHT



Model	Power	Material
LBD2750-4	4W	PC



Terra X
LED WALL LIGHT

NEW




IP65

2 year warranty



Model	Power	Material
LBD0661-12	12W	PC



Kyoto
LED WALL LIGHT

NEW


123a

IP65

2 year warranty




Model	Power	Material
LBD0930-6	10W	PC





Arta
LED WALL LIGHT



Model	Power	Material
LBD0560-3	3W	PC




Model	Power	Material
LBD0561-3	3W	PC




Kyoto
LED WALL LIGHT




Model	Power	Material
LBD2360B-12	12W	PC




Model	Power	Material
LBD2460B-12	12W	PC



Model	Power	Material
LBD2360-15	15W	PC




Model	Power	Material
LBD2460-15	15W	PC



Ascoli LED WALL LIGHT




Model	Power	Material	Size(L*W*H)
LBD0160-12	12W	PC	265x120x81mm
LBD0180-20	20W	PC	319x170x114mm



Polar LED WALL LIGHT




Model	Power	Material	Size(L*W*H)
LBD0360-9	9W	PC	173x81x46mm
LBD0380-12	12W	PC	230x100x90mm



Rocca LED WALL LIGHT




Model	Power	Material	Size(L*W*H)
LBD0260-6	6W	PC	220x112x50mm
LBD0261-6	6W	PC	220x112x50mm




Rafina LED WALL LIGHT




Model	Power	Material
LBD0460-12	12W	PC




Model	Power	Material
LBD0461-12	12W	PC



Model	Power	Material
LBD0462-12	12W	PC



Model	Power	Material
LBD0463-12	12W	PC



Bean
LED WALL LIGHT





3 year warranty CREE made in USA




3 year warranty CREE made in USA

Model	Power	Material
LBD1110-8X	8W	Aluminum

Model	Power	Material
LBD1210-8X	8W	Aluminum



Detroit
LED WALL LIGHT



IP65

2 year warranty

SALE!





IP65

2 year warranty

Model	Power	Material
LBD3110-6X	6W	Aluminum

Model	Power	Material
LBD3010-6X	6W	Aluminum



Chios

LED WALL LIGHT



2year warranty

Bean

LED WALL LIGHT




Beam Adjustable


2year warranty



Model	Power	Material	Size(L*W*H)
LBD1320-8X	8W	Aluminum	200x90x28mm
LBD1330-12X	12W	Aluminum	327x90x28mm
LBD1340-16	16W	Aluminum	400x90x30mm



Model	Power	Material	Size(L*W*H)
LBD0715-6	6W	Aluminum	150x80x54mm
LBD0720-8	8W	Aluminum	200x80x54mm
LBD0730-12	12W	Aluminum	300x80x54mm



Samos

LED WALL LIGHT



3year warranty



Model	Power	Material
LBD2020-12X	12W	Aluminum



Ayder


LED WALL LIGHT



3year warranty



Model	Power	Material
LBD2560-10	10W	Aluminum



Ural


LED WALL LIGHT



2year warranty



Model	Power	Material
LBD0850-12	12W	Aluminum



Turtle X LED BULKHEAD

SALE!

Frameless design



2 year warranty



2 year warranty

Material :PC



2 year warranty


Material :PC




2 year warranty

Material :PC


Model	Power	Material	Size(L*W*H)
LXD0130-8	8W	PC	166x76x62mm
LXD0140-15	15W	PC	201x101x68mm




Model	Power	Size(L*W*H)
LXD1520-8X	8W	200x100x55mm
LXD1520-12X	12W	200x100x55mm
LXD1523-12X	12W	230x105x55mm
LXD1523-18X	18W	230x105x55mm



Model	Power	Size(L*W*H)
LXD1117-8X	8W	Φ176x55
LXD1117-12X	12W	Φ176x55
LXD1121-12X	12W	Φ210x55
LXD1121-18X	18W	Φ210x55



Model	Power	Size(L*W*H)
LXD1217-8X	8W	176x176x55mm
LXD1217-12X	12W	176x176x55mm
LXD1221-12X	12W	211x211x55mm
LXD1221-18X	18W	211x211x55mm



Firefly LED BULKHEAD



Material :PC


2 year warranty



Material :PC

2 year warranty

Model	Power	Size(Φ*H)
LXD1320-15X	15W	Φ200x50
LXD1330-25X	25W	Φ300x50



Model	Power	Size(L*W*H)
LXD1420-15X	15W	200x200x50mm
LXD1430-25X	25W	300x300x50mm

